

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	(hask key signature) same (valid\$5 verification certif\$4 conrirm\$3).ab. and (compar\$5 match\$3 map\$4) near5 (server page site resource) adj (id identification identifier) and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/28 08:36
L2	3	(hask key signature) same (valid\$5 verification certif\$4 confirm\$3).ab. and (compar\$5 match\$3 map\$4) near5 (server page site resource) adj (id identification identifier) and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/28 08:36

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	(hask key signature) same (valid\$5 verification certif\$4 conrirm\$3).ab. and (compar\$5 match\$3 map\$4) near5 (server page site resource) adj (id identification identifier) and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/28 08:36
L2	3	(hask key signature) same (valid\$5 verification certif\$4 confirm\$3).ab. and (compar\$5 match\$3 map\$4) near5 (server page site resource) adj (id identification identifier) and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/28 08:36
S1	3	((encrypted hash) near5 (key value number indicator pointer) (digital signature) near3 (key id identifier identification)) with (user client customer subscriber local first origin source resource) near5 request same (creat\$3 generat\$3 send\$3 transmi\$4) and (valid\$5 verif\$4 verification) near5 (reply respon\$4 return) with (user client customer subscriber local first).ab. and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/28 06:39
S2	71	((encrypted hash value number indicator pointer digital signature) near3 (key id identifier identification)) with (user client customer subscriber local first origin source resource) near3 request with (creat\$3 generat\$3 send\$3 transmi\$4) and (valid\$5 verif\$4 verification) near5 (reply respon\$4 return) with (user client customer subscriber local first) and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/28 06:42
S3	3	((encrypted hash value number indicator pointer digital signature) near3 (key id identifier identification)) with (user client customer subscriber local first origin source resource) near3 request with (creat\$3 generat\$3 send\$3 transmi\$4) and (valid\$5 verif\$4 verification) near10 (reply respon\$4 return) near10 (resource content context) with (user client customer subscriber local first) and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/28 06:43

S4	36	((encrypted hash value number indicator pointer digital signature) near3 (key id identifier identification)) with (user client customer subscriber local first origin source resource) near3 request with (creat\$3 generat\$3 send\$3 transmi\$4) and (valid\$5 verif\$4 verification) near10 (reply respon\$4 return) near10 (origin first desire expect resource content context) with (user client customer subscriber local first) and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/28 06:52
S5	232	(user client customer subscriber local first) with ((encrypted hash value number indicator pointer digital signature) near3 (key id identifier identification)) with request and (user client customer subscriber local first origin source resource) with (creat\$3 generat\$3 send\$3 transmi\$4) and (confirm\$5 valid\$5 verif\$4 verification check\$3) with (reply respon\$4 return) with (origin first desire\$4 expect\$2 resource content contain context) and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/28 06:54
S6	41	(user client customer subscriber local first) near5 (transmi\$4 send\$3 generat\$3 assign\$3 initia\$4) adj10 ((encrypted hash value number indicator pointer digital signature) near3 (key id identifier identification)) with request and (user client customer subscriber local first origin source resource) with (creat\$3 generat\$3 send\$3 transmi\$4) and (confirm\$5 valid\$5 verif\$4 verification check\$3) with (reply respon\$4 return) with (origin first desire\$4 expect\$2 resource content contain context) and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/28 07:00

S7	36	(user client customer subscriber local first) near3 request with ((encrypted hash value) near3 (key id identifier identification digital signature)) and (user client customer subscriber local first origin source resource) with (creat\$3 generat\$3 send\$3 transmi\$4) and (confirm\$5 valid\$5 verif\$4 verification check\$3) with (reply respon\$4 return) with (origin first desire\$4 expect\$2 resource content contain context) and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/28 07:10
S8	2	(user client customer subscriber local first) near3 request with ((encrypted hash value digital) near3 (key id identifier identification signature)) same (confirm\$5 valid\$5 verif\$4 verification check\$3) with (reply respon\$4 return).ab. and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/28 07:12
S9	335	request near5 ((encrypted hash value digital) near3 (key id identifier identification signature)) and (confirm\$5 valid\$5 verif\$4 verification check\$3) near5 (reply respon\$4 return) and @ad<"20001129"	US-PGPUB; USPAT	OR	ON	2005/10/28 07:13
S10	79316	("709"/\$\$\$\$ "713"/\$\$\$\$)	US-PGPUB; USPAT	OR	OFF	2005/10/28 07:13
S11	162	S9 and S10	US-PGPUB; USPAT	OR	OFF	2005/10/28 07:14
S12	4	S9 and S10 and (compar\$5 match\$3 map\$4) near5 (server page site resource) adj (id identification identifier)	US-PGPUB; USPAT	OR	ON	2005/10/28 08:34